



### 6 Pin 16A 500V Heavy Duty Connector Female Insert

OUKERUI is 6 Pin 16A 500V Heavy Duty Connector Male Insert manufacturer and supplier in China, able to wholesale 6 Pin 16A 500V Heavy Duty Connector Female Insert. We offer professional service and better price. If you are interested in our 6 Pin 16A 500V Heavy Duty Connector Male Insert, please contact us. Preserve reliable quality, attentive price and complex services



## Product Description

You can rest assured to buy customized 6 Pin 16A 500V Heavy Duty Connector Female Insert from us. Our products are exported to more than 30 countries with strong technical support. Outstanding quality and service. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time!

### Product Description

6 Pin 16A 500V Heavy Duty Connector Female Insert is a Heavy Duty Connector manufacturer with TUV audit. We also have CE, UL, EAC certified high performance connectors. ISO quality management system. Patent configuration, easy installation, quick installation. Personalized interfaces for different scenarios. High quality raw material guarantee. Create more environmentally friendly products.

### Basic Info.

Model NO.	HZW-HE-006-F
Contacts Surface Treatment	Silver/Glod Plated
Housing Material	Die-Casting Aluminum Alloy
Working Environments	IP65 for Various Harsh Environments
Contact Cost	Pay Additional Cost for Crimp Contacts
Specification	CE, UL, ROHS
Origin	China



Production Capacity	3000pieces Per Day
Certification	UL
Contact Material	Copper
Housing Coating	Anti-Corrosion Powder Spray
Crimp Tooling	Available
Transport Package	Poly bag and Double Cartons
Trademark	Oukerui
HS Code	8536900000

### **SPECIFICATION**

Model No.	HZW-HE-006-F
Terminal type	Screw Terminal
Housings material	Dia casting aluminum alloy
Working Voltage	500V
Rated Impulse Voltage	6KV
International protection(IP) grade	IP65
Flammability	V0
Mechanical Life Span	Min 500 times
Warranty	1 Year
Gender type	Female
Contacts' surface processing	Silver or Gold Plated
Mounting type	Bulkhead/Surface/ cable to cable
Insert Block	Top grade PC
Working Current	16A
Temperature Bearing Range	-40° C~+125° C
Pollution Degree	3
Transport packing	Carton

### **SPECIFICATION OF CONTACT**



Material	Copper Alloy
Terminal	Screw/Crimp Terminal
Screw terminal tightening	0.5Nm
Surface Treatment	Silver/Gold Plated
Wire Gauge	1.0-2.5mm <sup>2</sup> (AWG18-14)
Stripping length	7-9mm

6 Pin 16A 500V Heavy Duty Connector Female Insert are extensively used in equipment that require electrical and signal connections, such as mold machinery, construction machinery, textile machinery, transportation technology, electric energy, electric locomotives and so on various need electrical and petrochemical equipment.